# Automatic 8.5KG Load Monitor Lift Pop Up Computer Screen Lifter With LED Screen

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quar
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

	China
	JUNNAN
	CCC/CE
	JN-19
ntity:	10
	US\$ 150
	78CM*20CM*72CM
	20
	L/C, D/A, D/P, T/T, Western Union, MoneyGram
	1-20 ≥21Communicative



### **Product Specification**

Highlight:	8.5kg load monitor lift, monitor lift pop up, pop up computer screen lifter
<ul> <li>Installation:</li> </ul>	Embedded Desktop Installation
Gross Weight:	25KG
<ul> <li>Loading Capacity(MAX):</li> </ul>	8.5KG
Relative Humidity:	≤80%
Control Way:	Remote Control/Manual/RS232
Voltage:	AC220V 5% 50HZ
Suitable For:	17"-24" LCD Monitor
Color:	Silver Black
Material:	Material

#### **JUN NAN**



# More Images



Our Product Introduction

#### **Product Description**

Automatic Table Hidden Monitor Lift With LED Screen/Pop Up Computer Screen Lifting Display Conventional Lifter, also known as Computer Monitor Lifter or LCD Lifter, allows the monitor to be completely hidden when not in use, thus acting as a dust and theft deterrent. The monitor does not occupy desktop space when not in use, keeping the desktop neat and beautiful.

#### Our Advantages

ILINNAN I CD lifter exterior dimensions

High production efficiency, the factory adopts assembly line operation, mechanized production

The company has advanced production lines, the factory covers an area of 5,000 square meters, building area of 3,000 square meters

We have advanced equipment and technical means in the field of technology, and we are able to provide customized solutions to meet the different needs of our customers.


We focus on innovation, continuous product and service development and innovation, to be able to provide customers with more competitive solutions to meet the growing needs of our customers.

Our equipment has CCC, CE, ROHS, ISO certification and other certifications, product safety and quality, with export qualifications.

19/22/24/27 inch LCD display
Aluminum brushed
Carbon steel
Silver/Black
550*158mm
600*158mm
600*158mm
710*158mm
525*148*650mm
575*148*650mm
630*148*655mm
650*145*685mm
22kg
24kg
26kg
26kg
Central control, remote control, hand control
≤8.5kg
≤15°
Up / pause / down / forward / backward tilt
RS232 input and output/power supply/vga

# **Regular Monitor Lift Dimension Chart**











#### Installation steps


(1)Determine the installation position of the desktop first, according to the Monitor lift of the elevator chassis in the desktop to open the corresponding hole



(2) Then countersink the lifter panel accordingly to the size of the lifter panel



(3) Be sure to remove the anti-vibration screws before turning on the power.



(4) Put the lifter inside the open hole, and then connect the power to lift 1-3 times to ensure normal operation. Will be connected to the line on / off HDMI, data transmission, VGA input / output power cord) as follows



(5)installation is complete (Note: the possibility that the Desktop Lifting Display can not move: ① battery socket is not plugged in; ② through the controller is powered, you can press the panel button test)

#### **FAQ**

1. How many days you need to install the equipment?

Re:The installation time depends on the type and quantity of equipment. The fastest is 1 day, and the longest is three or four days.

2.How long it takes you to provide the designing options for us? Re:1-2days

3.Can you can design the equipment according to our size? Re:No problem, we support OEM

4.How many years have your company made this kind of equipment? Re:We have been producing lifting systems for 13 years

5.Do you provide free spare parts ? Re:If your order is a bulk order, we will provide 1-2 sets of circuit board accessories for free

