Conference Table Monitor Lift Motorized Touch Screen Manual Monitor Lift Brushed Aluminum Alloy

Basic Information

Place of Origin: China
Brand Name: JUNNAN
Certification: CE CCC ROHS

• Model Number: JN-15.6

Minimum Order Quantity:

• Price: US\$ 294

Packaging Details: 70CM*50CM*24CM

• Delivery Time: 7-20

Payment Terms:
 L/C, D/A, D/P, T/T, Western Union,

MoneyGram

• Supply Ability: 1-19 ≥20Communicative



Product Specification

• Product Name: Video Conference Solution

Application: Enterprises Video Conferencing

Material: Brushed Aluminum Alloy

Colour: Black Color

Control Way: Remote Control / Manual RS232

• Power Supply: AC 110-240V

• Highlight: conference table monitor lift motorized,

monitor lift motorized touch screen, conference motorized touch screen



More Images



Product Description

Conference Table Motorized Touch Screen Lcd Monitor Lift With Back Screen Lcd Monitor

LCD screen lifter with back screen or back with table sign is a specially designed lifting equipment, mainly used in conference system, especially those who need to show the content of the meeting as well as the participants' information.

Our Advantages

High production efficiency, the factory adopts assembly line operation, mechanized production

The company has advanced production lines, the factory covers an area of 5,000 square meters, building area of 3,000 square meters

We have advanced equipment and technical means in the field of technology, and we are able to provide customized solutions to meet the different needs of our customers.

We have established a sound after-sales service system, can respond to customer needs in a timely manner, to provide customers with comprehensive after-sales service and technical support, to maintain the interests of the customer and the user experience

The products are not only powerful and high-quality, but also reasonably priced, which can make consumers feel the value for money.

JUNNAN Deskto	n Liftina D	ienlav avtarior	' dimancione

Model Numbe	Panel Size	Enclosure Size	(Note)Furniture Opening Reference Size
			· · · · · · · · · · · · · · · · · · ·
15.6-inch Desktop Lifting	426(L)^80(W)^3(Thick)M	411(L)*75(W)*570(Thick)M	Panel:427(L)*81(W)*3(H)MM
Display	M	M	Case:413(L)*77(W)*570(H)MM
17.3-inch Desktop Lifting	470(L)*80(W)*3(Thick)M	449(L)*75(W)*570(Thick)M	Panel:471(L)*81(W)*3(H)MM
Display	M	M	Case:451(L)*77(W)*570(H)MM
18.5-inch Desktop Lifting	492(L)*80(W)*3(Thick)M	476(L)*75(W)*570(Thick)M	Panel:493(L)*81(W)*3(H)MM
Display	M	M	Case:478(L)*77(W)*570(H)MM
21.5-inch Desktop Lifting	560(L)*80(W)*3(Thick)M	544(L)*75(W)*630(Thick)M	Panel:561(L)*81(W)*3(H)MM
Display	M	M	Case:562(L)*77(W)*630(H)MM
23.8-inchDesktop Lifting	610(L)*80(W)*3(Thick)M	594(L)*75(W)*630(Thick)M	Panel:611(L)*81(W)*3(H)MM
Display	M	M	Case:596(L)*77(W)*630(H)MM
15.6 " Desktop Lifting	532(L)*80(W)*3(Thick)M	515(L)*75(W)*630(Thick)M	Panel:533(L)*81(W)*3(H)MM
Display with Microphone	M	M	Case:517(L)*77(W)*630(H)MM
17.3" Desktop Lifting	570(L)*80(W)*3(Thick)M	553(L)*75(W)*630(Thick)M	Panel:571(L)*81(W)*3(H)MM
Display with Microphone	M	M	Case:555(L)*77(W)*630(H)MM
18.5" Desktop Lifting	610(L)*80(W)*3(Thick)M	592(L)*75(W)*630(Thick)M	Panel:611(L)*81(W)*3(H)MM
Display with Microphone	M	M	Case:594(L)*77(W)*630(H)MM
21.5" Desktop Lifting	680(L)*80(W)*3(Thick)M	600(L)*75(W)*630(Thick)M	Panel:681(L)*81(W)*3(H)MM
Display with Microphone	M	M	Case:662(L)*77(W)*630(H)MM
23.8" Desktop Lifting	720(L)*80(W)*3(Thick)M	704(L)*75(W)*630(Thick)M	Panel:721(L)*81(W)*3(H)MM
Display with Microphone	M	M	Case:706(L)*77(W)*630(H)MM
27-inch Desktop Lifting	687(L)*80(W)*3(Thick)M	671(L)*75(W)*680(Thick)M	Panel:688(L)*81(W)*3(H)MM
Display	M	M	Case:673(L)*77(W)*680(H)MM
. 24	A .6	-8	- 00







We have one-stop office furniture and equipment solutions for R&D, distribution, sales and related services, as well as Quality Conference table lifting screen production lines, advanced Conference table lifting screen CNC equipment, a strong design team and excellent after-sales service team. Our Conference table lifting screen is mainly used in senior executive desks, large conference tables, all kinds of luxury hotels, office buildings, laboratories, banks, government projects, office system integration and so on. Our Conference table lifting screen has been exported to more than 100 countries and cities and has won a good reputation all over the world. We firmly believe that with innovative products, competitive Conference table lifting screen price and perfect service, China Junnan Conference table lifting screen is trying to win the market and customers, and looking forward to a better tomorrow.

Installation steps


(1)Determine the installation position of the desktop first, according to the Monitor lift of the elevator chassis in the desktop to open the corresponding hole



(2) Then countersink the lifter panel accordingly to the size of the lifter panel



(3) Be sure to remove the anti-vibration screws before turning on the power.



(4) Put the lifter inside the open hole, and then connect the power to lift 1-3 times to ensure normal operation. Will be connected to the line on / off HDMI, data transmission, VGA input / output power cord) as follows



(5)installation is complete (Note: the possibility that the Desktop Lifting Display can not move: ① battery socket is not plugged in; 2 through the controller is powered, you can press the panel button test)

Can you send your staff to install the equipment for us?

Re:We can send technicians to install it, but you need to pay the travel and labor costs.

Will you will attend the fair to show your products?

Re:We have participated in overseas furniture fairs, infocomm, index and other exhibitions

Can you can design the equipment according to our size? Re:No problem, we support OEM

Do you have any real project pictures of the equipment? Re:Our pictures are all real cases and objects

How far is your factory from the airport? Re:About 10KM







Guangzhou Baiyun District Renhe Town Fenghe Village Fenghe West Road No. 43 second building Junnan Audio-visual