



Conference table flip screen for efficient meeting occasions

Our Product Introduction

for more products please visit us on monitor-lift.com

Basic Information

- Place of Origin: China
- Brand Name: JUNNAN
- Certification: CE CCC ROHS
- Model Number: JN-15.6-23.8
- Minimum Order Quantity: 1
- Price: US\$ 294
- Packaging Details: 70CM*50CM*24CM/Acre/Acres
- Delivery Time: 20
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 1-50 ≥51Communicative



Product Specification

- Product Name: Video Conference Solution
- Application: Enterprises Video Conferencing
- Certificate: CCC,CE,ROHS,ISO
- Suitable For: Conferencing Room
- Keyword: Lcd Screen Lift And Touch Sensor
- Feature: Convenient
- Highlight: conference table lcd monitor flip flop, lcd screen lcd monitor flip flop



More Images



Product Description

Conference table flip screen for efficient meeting occasions

The LCD flip-flop is a product of the development of intelligent hidden conference system to a certain stage, which is mainly applied to paperless multimedia digital conference system for public prosecutors and lawyers, troops, schools, hospitals, large-scale enterprises, trading halls and so on. When the flip-flop is opened, the LCD display will be automatically flipped into the required angle (such as 120 °), and according to the specific design, the keyboard may also be automatically raised at the same time flush with the desktop. When not in use, the display can be automatically flipped and hidden inside the desktop, with anti-theft, dustproof, desktop beautification and other functions.

junnan LCD monitor flip-flop parameters

| Parameter Name | Parameter Range |
|-------------------------|---------------------------------------|
| Brand : | JUNNAN |
| Display Size: | 15.6-23.8 |
| Display Resolution: | 1920*1080(Ful HD) |
| Viewing Angle: | 85/85/85/85(Typ.)(CR≥10) |
| Screen Ratio: | 16:9 |
| Material: | All-Aluminum Drawing |
| Remote Control Distance | 10m |
| Color: | Silver/Black,Customized |
| Motor: | 1 |
| Installation Method: | Embedded |
| Control Method | Manual,Central Control,Remote Control |

Our Advantages

High production efficiency, the factory adopts assembly line operation, mechanized production

And our equipment has all kinds of certificates certification such as CCC, CE , ROHS, ISO certification, the product is safe and high quality, with export qualification.

We have a team of highly qualified, specialized staff with extensive industry experience and professional support to provide quality services and solutions to our clients.

The company has strong technical force, advanced production equipment and a group of professional and experienced staff.

Our LCD monitor flip-flop is mainly used in high-level administrative offices, large-scale conferences, all kinds of luxury hotels, office buildings, laboratories, banks, government projects, conference office system integration and so on.



FAQ

If you meet the product you like, contact us as soon as possible.

Any small request, we will try to meet, you can tell me your request, like style, logo, color, size and any other requirements, then I will make a design sketch as your requirements and accurate the price for you reference.

Do you provide sample? Free or charge?

Re: We charge for samples

Can I transfer the money to you then you pay to other supplier?

Re: No problem, I can do it for you;

How do you pack the equipment?


Re: We have strict packaging for equipment with screens. We first fix the equipment with thick foam, then pack it in cartons, and then use wooden frames or wooden pallets for safe transportation.

Will you attend the fair to show your products?

Re: We have participated in overseas furniture fairs, infocomm, index and other exhibitions

How long is your delivery time?

Re: Depending on the product model and specifications, it takes 1 day to have materials in stock, and more than 15 days to customize.



Guangzhou Baiyun District Renhe Town Fenghe Village Fenghe West Road No. 43 second building Junnan
Audio-visual