



# 1M Running Aluminum Scissor Type Electric Motorized Projector Lift Lifts

### **Basic Information**

Place of Origin: ChinaBrand Name: JUNNAN

Certification: CCC,CE,ROHS,ISO

Model Number: JN-J100 Minimum Order Quantity: 1

Price: US\$ 220-US\$ 480
 Packaging Details: 55CM\*55CM\*30CM

• Delivery Time: 7-20

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

• Supply Ability: 1-20 ≥21Communicative



### **Product Specification**

• Warranty(Year): 1-Year

• After-sales Service: Call Center And On-line Technical Support

Adjustable Length: 0mm - 1000mm

Control Way: Manual/remote Control /RS232

• Base Plate: 600\*600mm

• Highlight: electric projector lift,

electric projector camera lift, motorized projector lift



## More Images



### **Product Description**

1M Running Aluminum Scissor Type Electric Motorized Projector Lift Lifts

The upper part of the hanger is a square frame with mounting holes for connecting to the upper part of the ceiling fixture. The distance between the base surface of the fixing and the surface of the ceiling depends on whether the projector is hidden inside the ceiling or not. At the bottom of the frame is the projector fixed universal hanger, according to the size of the projector to adjust the fixed universal hanger lever, so that the projector is connected to it. Connect the power and control wires correctly according to the wiring diagram.

#### junnan Projector Lifter parameters

Januari i Tojector Enter parameters	
Product Model	Jn-j100/j150/j200/j250/j300
Stroke	1m,1.5m,2m,2.5m,3.0m (model change accordingly)
Power consumption	≤80W (standby ≤0.5W)
Motor	Dechang automobile motor (DC)
Weight	15KG
Positioning method	Electronic positioning (with double protection)
Color	High-gloss white (other colors can be customized)
Precision	Stretching 1mm, left and right deflection ±1°
Remote Control Distance	50 meters (open)
Adjustment range	Angle adjustable ±10°, screw up and down adjustable
Control Interface	Wireless remote control, keypad, RS232
Input Voltage	100-240V~50/60Hz
Power Consumption	≤440W (standby ≤0.5W)
Power Consumption	13kg/15kg/18kg/21kg/24kg (net weight)
Installation	Ceiling lifting
Storage Temperature	-20°C~60°C
Operating Temperature	-10°C~40°C
Operating Humidity	20%~80%RH
MTBF	≥30000hours
*	,

#### Junnan Projector Lifter Advantages of the factory

Our LCD Screen Lifter has been exported to more than 100 countries and cities and has won a good reputation all over the world.

Our LCD Screen Lifter is mainly used in senior executive desks, large conference tables, all kinds of luxury hotels, office buildings, laboratories, banks, government projects, office system integration and so on.

We have one-stop office furniture and equipment solutions for R&D, distribution, sales and related services, as well as Quality LCD Screen Lifter production lines, advanced LCD Screen Lifter CNC equipment, a strong design team and excellent aftersales service team.

The quality, stability, and durability of the products are rigorously tested to ensure reliable product quality.

Our equipment has CCC, CE, ROHS, ISO certification and other certifications, product safety and quality, with export qualifications.

## Screw Height Adjustable






Up and down telescopic function design



Junnan projector Lifterbe in favor of Lifting Bracket Features Free Lifting Adjustment Applicable to different scenarios, The Top Is Solid And Stable The Tray Is Not Easy To Shake, Lift Function Safe, Strong And Stable, Extra Large Pallet Plenty Of Space, High Strength Steel Plate Safe And Stable, Integrated Die-cast Panel More Versatile, Electric Lift Intelligent Positioning Remote Control/Central Control/Manual Control, Easy And Convenient Operation. We are Advanced Camera Lifter Easy-maintainable, Both wholesale purchase and private customization are available for customers. Extra Wide Cable Inlet Routing Inside The Pole Aluminum Alloy Material, Product selection and designReasonable color and luster Moderate light and durable The material of the cold-pressed plate is heavy and safe and firm.


## Ultra-Thin Cut Size



### **Product Features**

Multiple sets of cross-cut connecting pieces, small height, long expansion and contraction. Adopting industrial-grade automobile motors with long life and good stability. High reliability with integrated control board made by German technology. Battery can be used for emergency lifting in case of power failure

## Small size, easy to install, strong structure. junnan Projector Lifter Installation diagram



FAQ

What is your term of payment? Re:TT, Creidt card ,online pay

What is your MOQ?

Re:The minimum order quantity for regular products is 1 piece, customized products will be communicated separately.

Are you a trading company or a manufacturer?

Re:We are manufacturer

How long is your delivery time?

Re:Depending on the product model and specifications, it takes 1 day to have materials in stock, and more than 15 days to

How many days you need to install the equipment?

Re:The installation time depends on the type and quantity of equipment. The fastest is 1 day, and the longest is three or four

## **JUNNAN** Guangzhou Junnan Audiovisual Technology Co., Ltd.

+8613502417225



junnan09@gzgoge.com



monitor-lift.com

Guangzhou Baiyun District Renhe Town Fenghe Village Fenghe West Road No. 43 second building Junnan Audio-visual