

## Professional Of Motorized Projector Lift For Neat And Beautiful Conference Room

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: JUNNAN
- Certification: CCC,CE,ROHS,ISO
- Model Number: JN-J100
- Minimum Order Quantity: 1
- Price: US\$ 220-US\$ 480
- Packaging Details: 55CM\*55CM\*30CM
- Delivery Time: 7-20
- Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram
- Supply Ability: 1-20 ≥21Communicative



### Product Specification

- After-sales Service: Call Center And On-line Technical Support
- Adjustable Length: 0mm - 1000mm
- Item: Motorized Projector Lift
- Control Way: Manual/remote Control /RS232
- Base Plate: 600\*600mm
- Highlight: Neat Projector Lift, Professional Projector Lift, Motorized Projector Lift



### More Images



for more products please visit us on [monitor-lift.com](http://monitor-lift.com)

## Product Description

Hidden Ceiling Projector Lift Manufacturer for Conference Room

Projector Crosscut Hidden Hanger is a kind of bracket that can hide the projector, usually installed on the ceiling, the projector can be lowered by remote control or other control when in use, and can be raised to hide in the ceiling when not in use. The advantage of this kind of hanger is that it can save space and make the room more neat and beautiful, and it can also protect the projector from dust and damage.

### Junnan Projector Lifter parameters

Product Model	Jn-j100/j150/j200/j250/j300
Stroke	1m,1.5m,2m,2.5m,3.0m (model change accordingly)
Power consumption	≤80W (standby ≤0.5W)
Motor	Dechang automobile motor (DC)
Weight	15KG
Positioning method	Electronic positioning (with double protection)
Color	High-gloss white (other colors can be customized)
Precision	Stretching 1mm , left and right deflection ±1°
Remote Control Distance	50 meters (open)
Adjustment range	Angle adjustable ±10°, screw up and down adjustable
Control Interface	Wireless remote control, keypad, RS232
Input Voltage	100-240V~50/60Hz
Power Consumption	≤440W (standby ≤0.5W)
Power Consumption	13kg/15kg/18kg/21kg/24kg (net weight)
Installation	Ceiling lifting
Storage Temperature	-20°C~60°C
Operating Temperature	-10°C~40°C
Operating Humidity	20%~80%RH
MTBF	≥30000hours

### Junnan Projector Lifter Advantages of the factory

High production efficiency, the factory adopts assembly line operation, mechanized production

Strict quality control ensures that products meet the highest quality standards.

Independent development and design team/support processing customization

The company has advanced production lines, the factory covers an area of 5,000 square meters, building area of 3,000 square meters

The company has strong technical force, advanced production equipment and a group of professional and experienced staff.

# Screw Height Adjustable




Lifting freedom  
Easily retractable

Up and down telescopic  
function design



Junnan projector Lifterbe in favor of Lifting Bracket Features Free Lifting Adjustment Applicable to different scenarios,The Top Is Solid And Stable The Tray Is Not Easy To Shake,Lift Function Safe, Strong And Stable,Extra Large Pallet Plenty Of Space,High Strength Steel Plate Safe And Stable,Integrated Die-cast Panel More Versatile,Electric Lift Intelligent Positioning Remote Control/Central Control/Manual Control, Easy And Convenient Operation.We are Advanced Camera Lifter Easy-maintainable,Both wholesale purchase and private customization are available for customers. Extra Wide Cable Inlet Routing Inside The Pole Aluminum Alloy Material,Product selection and designReasonable color and luster Moderate light and durable ,Product selection and designReasonable color and luster Moderate light and durable The material of thecold-pressed plate is heavy and safe and firm.


# Ultra-Thin Cut Size



## Product Features

Multiple sets of cross-cut connecting pieces, small height, long expansion and contraction.  
 Adopting industrial-grade automobile motors with long life and good stability.  
 High reliability with integrated control board made by German technology.  
 Battery can be used for emergency lifting in case of power failure  
 Small size, easy to install, strong structure.

## junnan Projector Lifter Installation diagram



#### FAQ

How many days you need to install the equipment?

Re:The installation time depends on the type and quantity of equipment. The fastest is 1 day, and the longest is three or four days.

Can I transfer the money to you then you pay to other supplier?

Re:No problem, I can do it for you

When will you leave your factory and to have your spring festival holidays?

Re:Our Spring Festival holiday is usually 15-20 days during January and February

Can you send your staff to install the equipment for us?

Re:We can send technicians to install it, but you need to pay the travel and labor costs.

Can I only buy some spare parts from you?

Re:sure

 **Guangzhou Junnan Audiovisual Technology Co., Ltd.**



+8613502417225



junnan09@gzgoge.com



monitor-lift.com

Guangzhou Baiyun District Renhe Town Fenghe Village Fenghe West Road No. 43 second building Junnan  
Audio-visual