

Projector Lift With Cold-rolled Steel And Aluminum Alloy Construction

Our Product Introduction

for more products please visit us on monitor-lift.com

Basic Information

- Place of Origin: China
- Brand Name: JUNNAN
- Certification: CCC,CE,ROHS,ISO
- Model Number: JN-D150
- Minimum Order Quantity: 1
- Price: US\$ 320-US\$ 360
- Packaging Details: 55CM*55CM*28CM
- Delivery Time: 7-20
- Payment Terms: L/C,D/A,D/P,T/T,Western Union,MoneyGram
- Supply Ability: 1-20 ≥21Communicative



Product Specification

- Safety Protection: It Has The Automatic Stop Function Of Anti-tension Ceiling (anti-collision Function), And The Motor Has The Overheating Protection Function And The Blocking Function
- After-sales Service: Call Center And On-line Technical Support
- Adjustable Length: 0m - 1.5m
- Voltage: Dc 12V
- Weight: 7kg
- Highlight: Cold-rolled Steel Projector Lift, Adjustable Projector Lift, Aluminum Alloy Projector Lift



More Images

JUNNAN



JUNNAN



JUNNAN



JUNNAN



JUNNAN



Product Description

1111111111

Camera ground push rod is mainly used in meetings, offices, teaching and other occasions, through electric or manual way to achieve the camera height rise and fall to meet different shooting needs. The equipment is usually made of cold-rolled steel and aluminum alloy, with a large expansion range and load capacity, while the surface treatment is uniform, and the installation method is simple.

Junnan Projector Lifter parameters

Product Model	JN-D150
Journey	1.5m (model change accordingly)

Our Product

Power consumption	100W
Motor	Dechang automobile motor (DC)
Weight	More than 7KG
Positioning method	Electronic positioning (with double protection)
Color	High-gloss white (other colors can be customized)
Precision	Stretching 1mm , left and right deflection $\pm 1^\circ$
Remote Control Distance	50 meters (open)
Adjustment range	Angle adjustable $\pm 10^\circ$, screw up and down adjustable
Control Interface	Wireless remote control, keypad, RS232
Input Voltage	100-240V~50/60Hz
Power Consumption	$\leq 440W$ (standby $\leq 0.5W$)
weight	13kg/15kg/18kg/21kg/24kg (net weight)
Installation	Ceiling lifting
Storage Temperature	$-20^\circ\text{C} \sim 60^\circ\text{C}$
Operating Temperature	$-10^\circ\text{C} \sim 40^\circ\text{C}$
Operating Humidity	20%~80%RH
MTBF	≥ 30000 hours

Junnan Projector Lifter Advantages of the factory

We focus on innovation, continuous product and service development and innovation, to be able to provide customers with more competitive solutions to meet the growing needs of our customers.

Strict quality control ensures that products meet the highest quality standards.

We have CNC machine cutting technology and laser technology, Newest conference table LCD Screen Lifter technology to ensure that the product is ultra-high standards.

The product adopts advanced technology application, humanized design, convenient operation mode

The quality, stability, and durability of the products are rigorously tested to ensure reliable product quality.



Junnan projector Lifterbe in favor of Lifting Bracket Features Free Lifting Adjustment Applicable to different scenarios,The Top Is Solid And Stable The Tray Is Not Easy To Shake,Lift Function Safe, Strong And Stable,Extra Large Pallet Plenty Of Space,High Strength Steel Plate Safe And Stable,Integrated Die-cast Panel More Versatile,Electric Lift Intelligent Positioning Remote Control/Central Control/Manual Control, Easy And Convenient Operation.We are Advanced Camera Lifter Easy-maintainable,Both wholesale purchase and private customization are available for customers. Extra Wide Cable Inlet Routing Inside The Pole Aluminum Alloy Material,Product selection and designReasonable color and luster Moderate light and durable ,Product selection and designReasonable color and luster Moderate light and durable The material of thecold-pressed plate is heavy and safe and firm.

Product Features

Multiple sets of cross-cut connecting pieces, small height, long expansion and contraction.

Adopting industrial-grade automobile motors with long life and good stability.

High reliability with integrated control board made by German technology.

Battery can be used for emergency lifting in case of power failure

Small size, easy to install, strong structure.

Junnan Projector Lifter Installation diagram

FAQ

What is your term of payment?

Re:TT, Credit card ,online pay

Do you have any real project pictures of the equipment?

Re:Our pictures are all real cases and objects

Do you provide sample? Free or charge?

Re:We charge for samples

What is your MOQ?

Re:The minimum order quantity for regular products is 1 piece, customized products will be communicated separately.

How long is your delivery time?

Re:Depending on the product model and specifications, it takes 1 day to have materials in stock, and more than 15 days to customize.

 **Guangzhou Junnan Audiovisual Technology Co., Ltd.**

 +8613502417225

 junnan09@gzgoge.com

 monitor-lift.com

Guangzhou Baiyun District Renhe Town Fenghe Village Fenghe West Road No. 43 second building Junnan
Audio-visual